



Cleanroom Compatible



Pharma Applications



ULPA - Included



Stainless General



Accessories Included



Low Noise



Dry Recovery



High Efficiency

Specifications for CR-1 ULPA

Name	Part Number	Voltage	Hertz	Phase	Wattage	Power	Amperage	Air Flow	Vacuum Pressure	Plug Type	Dry Recovery - Tank	Dry Recovery - Disposable Filter Bag
CR-1 ULPA	110760B	240 V	50 Hz	Single	1000 W	1 kW	4.3 amps.	163 m ³ /h	2510 mm H ₂ O	European	15.1 L	7.6 L
	Dimensions: H56 cm x W41 cm x L41 cm				Weight: 9 kg.		Sound Level: 60 dB(A)					
CR-1 ULPA	110760BP	240 V	50 Hz	Single	1000 W	1 kW	4.3 amps.	163 m ³ /h	2510 mm H ₂ O	European	15.1 L	7.6 L
	Dimensions: H56 cm x W41 cm x L41 cm				Weight: 9 kg.		Sound Level: 60 dB(A)					
Description: With ULPA protector housing												
CR-1 ULPA	110760C	240 V	50 Hz	Single	1000 W	1 kW	4.3 amps.	163 m ³ /h	2510 mm H ₂ O	UK	15.1 L	7.6 L
	Dimensions: H56 cm x W41 cm x L41 cm				Weight: 9 kg.		Sound Level: 60 dB(A)					
CR-1 ULPA	110760CP	240 V	50 Hz	Single	1000 W	1 kW	4.3 amps.	163 m ³ /h	2510 mm H ₂ O	UK	15.1 L	7.6 L
	Dimensions: H56 cm x W41 cm x L41 cm				Weight: 9 kg.		Sound Level: 60 dB(A)					
Description: With ULPA protector housing												
CR-1 ULPA	110760D	240 V	50 Hz	Single	1000 W	1 kW	4.3 amps.	163 m ³ /h	2510 mm H ₂ O	Swiss	15.1 L	7.6 L
	Dimensions: H56 cm x W41 cm x L41 cm				Weight: 9 kg.		Sound Level: 60 dB(A)					
CR-1 ULPA	110760DP	240 V	50 Hz	Single	1000 W	1 kW	4.3 amps.	163 m ³ /h	2510 mm H ₂ O	Swiss	15.1 L	7.6 L
	Dimensions: H56 cm x W41 cm x L41 cm				Weight: 9 kg.		Sound Level: 60 dB(A)					
Description: With ULPA protector housing												
CR-1 ULPA	110760E	240 V	50 Hz	Single	1000 W	1 kW	4.3 amps.	163 m ³ /h	2510 mm H ₂ O	Chinese	15.1 L	7.6 L
	Dimensions: H56 cm x W41 cm x L41 cm				Weight: 9 kg.		Sound Level: 60 dB(A)					
CR-1 ULPA	110760EP	240 V	50 Hz	Single	1000 W	1 kW	4.3 amps.	163 m ³ /h	2510 mm H ₂ O	Chinese	15.1 L	7.6 L
	Dimensions: H56 cm x W41 cm x L41 cm				Weight: 9 kg.		Sound Level: 60 dB(A)					
Description: With ULPA protector housing												
CR-1 ULPA	110762B	240 V	50 Hz	Single	1000 W	1 kW	4.3 amps.	163 m ³ /h	2510 mm H ₂ O	European	15.1 L	7.6 L
	Dimensions: H56 cm x W41 cm x L41 cm				Weight: 9 kg.		Sound Level: 60 dB(A)					

Description: With stainless steel tank (SAE 430)

CR-1 ULPA	110762BP	240 V	50 Hz	Single	1000 W	1 kW	4.3 amps.	163 m ³ /h	2510 mm H ₂ O	European	15.1 L	7.6 L
	Dimensions: H56 cm x W41 cm x L41 cm Weight: 9 kg. Sound Level: 60 dB(A)											

Description: With stainless steel tank (SAE 430) and ULPA filter protector housing

CR-1 ULPA	110762C	240 V	50 Hz	Single	1000 W	1 kW	4.3 amps.	163 m ³ /h	2510 mm H ₂ O	UK	15.1 L	7.6 L
	Dimensions: H56 cm x W41 cm x L41 cm Weight: 9 kg. Sound Level: 60 dB(A)											

Description: With stainless steel tank (SAE 430)

CR-1 ULPA	110762CP	240 V	50 Hz	Single	1000 W	1 kW	4.3 amps.	163 m ³ /h	2510 mm H ₂ O	UK	15.1 L	7.6 L
	Dimensions: H56 cm x W41 cm x L41 cm Weight: 9 kg. Sound Level: 60 dB(A)											

Description: With stainless steel tank (SAE 430) and ULPA filter protector housing

CR-1 ULPA	110762D	240 V	50 Hz	Single	1000 W	1 kW	4.3 amps.	163 m ³ /h	2510 mm H ₂ O	Swiss	15.1 L	7.6 L
	Dimensions: H56 cm x W41 cm x L41 cm Weight: 9 kg. Sound Level: 60 dB(A)											

Description: With stainless steel tank (SAE 430)

CR-1 ULPA	110762DP	240 V	50 Hz	Single	1000 W	1 kW	4.3 amps.	163 m ³ /h	2510 mm H ₂ O	Swiss	15.1 L	7.6 L
	Dimensions: H56 cm x W41 cm x L41 cm Weight: 9 kg. Sound Level: 60 dB(A)											

Description: With stainless steel tank (SAE 430) and ULPA filter protector housing

CR-1 ULPA	110762E	240 V	50 Hz	Single	1000 W	1 kW	4.3 amps.	163 m ³ /h	2510 mm H ₂ O	Chinese	15.1 L	7.6 L
	Dimensions: H56 cm x W41 cm x L41 cm Weight: 9 kg. Sound Level: 60 dB(A)											

Description: With stainless steel tank (SAE 430)

CR-1 ULPA	110762EP	240 V	50 Hz	Single	1000 W	1 kW	4.3 amps.	163 m ³ /h	2510 mm H ₂ O	Chinese	15.1 L	7.6 L
	Dimensions: H56 cm x W41 cm x L41 cm Weight: 9 kg. Sound Level: 60 dB(A)											

Description: With stainless steel tank (SAE 430) and ULPA filter protector housing

Technical Sheet for CR-1 ULPA

ULPA FILTER AND ACCESSORIES - Included

Part #	Description
212304	ULPA FILTER (U15)

ULPA FILTER HOUSING PROTECTOR KIT - Optional

Part #	Description
214860	ULPA FILTER HOUSING PROTECTOR KIT FOR MODEL CR-1 (ULPA FILTER NOT INCLUDED)

FILTERS AND ACCESSORIES - Included

Part #	Description
212502	MAIN FILTER ASSEMBLY WITH BLACK PLASTIC RING FOR MODEL CR-1 AND AS-10

DISPOSABLE FILTER BAGS - Included

Part #	Description
212500	PAPER FILTER BAGS (PACKAGE OF 5)

TOOLS AND ACCESSORIES - Included

Part #	Description
323497	SUCTION HOSE ASSEMBLY FOR MODEL CR-1, Ø1.25"(32mm)x8"(2.4m)
323504A	TELESCOPIC EXTENSION WAND FOR MODEL CR-1 (REPLACEMENT FOR MODEL T1), PLASTIC
323508	FLOOR TOOL 1.25"(32mm) x 14"(35.6cm) BLACK, FOR AS-5 AND CR-1
323510	CREVICE TOOL FOR AS-5 AND CR-1 1.25"(32mm)x8"(20.3cm)
323514	DUSTING BRUSH FOR AS-5 AND CR-1 1.25"(32mm)x3"(76mm)
323512	UPHOLSTERY TOOL FOR AS-5 AND CR-1 1.25"(32mm)x5"(13cm)

TOOLS AND ACCESSORIES - Optional

Part #	Description
323504B	TELESCOPIC EXTENSION WAND -CHROME
323316	MICRO TOOL KIT, Ø1.25"(32mm), ESD* SAFE PLASTIC

AVAILABLE UPGRADES - Optional

Part #	Description
218248-UPGRADE	UPGRADE TO WHEEL BASE ASSEMBLY (2+2) WITH BUILT-IN TOOL STORAGE TRAY, GREY